

Form Identification	n
PD SURG Trial No.	Patient Initials
S	
Date Completed	
Date Received Date Entered	
Docalina 4vr (2) In France 7 (1)
Baseline 1yr	3yr 5yr 7yr 9yr

By placing a tick in one box in each group below, please indicate which statement best describes your own health state today.

Do not tick more than one box in each group.


Mobility	
I have no problems walking about	
I have some problems in walking about	
I am confined to bed	
Self-care Self-care	
I have no problems with self-care	
I have some problems washing or dressing myself	
I am unable to wash or dress myself	
Usual activities (e.g. work, study, housework, family or leisure activities)	
I have no problems with performing my usual activities	
I have some problems with performing my usual activities	
I am unable to perform my usual activities	
Pain/Discomfort	
I have no pain or discomfort	
I have moderate pain or discomfort	
I have extreme pain or discomfort	
Anxiety/Depression	
I am not anxious or depressed	
I am moderately anxious or depressed	
I am extremely anxious or depressed	

Please turn over for the final question.

To help people say how good or bad a health state is, we have drawn a scale (rather like a thermometer) on which the best state you can imagine is marked 100 and the worst state you can imagine is marked by 0.

We would like vou to indicate on this scale how good or bad your own health is today, in your opinion. Please do this by drawing a line from the box below to whichever point on the scale indicates how good or bad your health state is.

Your own health state today



OSWESTRY DISABILITY QUESTIONNAIRE

Name	 		
Date			

This questionnaire has been designed to give us information as to how your back or leg pain is affecting your ability to manage in everyday life. Please answer by checking <u>one box in each section</u> for the statement which best applies to you. We realise you may consider that two or more statements in any one section apply but please just shade out the spot that indicates the statement which most clearly describes your problem.

Section 1: Pain Intensity	Section 4: Walking
I have no pain at the moment	Pain does not prevent me walking any distance
The pain is very mild at the moment	Pain prevents me from walking more than 2 kilometres
The pain is moderate at the moment	
The pain is fairly severe at the moment	Pain prevents me from walking more than 1 kilometre
The pain is very severe at the moment	Pain prevents me from walking more than 500 metres
The pain is the worst imaginable at the moment	I can only walk using a stick or crutches
The pain is the worst imaginable at the moment	I am in bed most of the time
Section 2: Personal Care (Washing, Dressing, etc.)	Section 5. Citting
I can look after myself normally without causing extra pain	Section 5: Sitting
I can look after myself normally but it causes extra pain	I can sit in any chair as long as I like
It is painful to look after myself and I am slow and careful	I can only sit in my favourite chair as long as I like
I need some help but can manage most of my personal care	Pain prevents me sitting more than one hour
	Pain prevents me from sitting more than 30 minutes
I need help every day in most aspects of self care	Pain prevents me from sitting more than 10 minutes
I do not get dressed, wash with difficulty and stay in bed	Pain prevents me from sitting at all
Section 3: Lifting	
☐ I can lift heavy weights without extra pain	
I can lift heavy weights but it gives me extra pain	Section 6: Standing
Pain prevents me lifting heavy weights off the floor but I	I can stand as long as I want without extra pain
	I can stand as long as I want but it gives me extra pain
can manage if they are conveniently placed e.g. on a table	Pain prevents me from standing for more than 1 hour
Pain prevents me lifting heavy weights but I can manage	Pain prevents me from standing for more than 30 minutes
light to medium weights if they are conveniently positioned	Pain prevents me from standing for more than 10 minutes
I can only lift very light weights	Pain prevents me from standing at all
I cannot lift or carry anything	

Section 7: S	Sleeping	Section 9: Travelling
☐ My sleep	p is never disturbed by pain	☐ I can travel anywhere without pain
☐ My sleep	p is occasionally disturbed by pain	☐ I can travel anywhere but it gives me extra pain
Because	of pain I have less than 6 hours sleep	Pain is bad but I manage journeys over two hours
Because	of pain I have less than 4 hours sleep	Pain restricts me to journeys of less than one hour
Because	of pain I have less than 2 hours sleep	Pain restricts me to short necessary journeys under 30 minutes
Pain pre	vents me from sleeping at all	Pain prevents me from travelling except to receive treatment
Section 8: S	Social Life	Section 10: Employment/Homemaking
☐ My socia	al life is normal and gives me no extra pain	My normal homemaking/job activities do not cause pain.
☐ My socia	al life is normal but increases the degree of pain	My normal homemaking/job activities increase my pain,
Pain has	no significant effect on my social life apart from	but I can still perform all that is required of me.
	my more energetic interests e.g. sport	☐ I can perform most of my homemaking/job activities, but pain prevent
_	restricted my social life and I do not go out as often restricted my social life to my home	me from performing more physically stressful activities (eg lifting, vacuuming).
	o social life because of pain	Pain prevents me from doing anything but light duties.
	o social into occurse of pain	Pain prevents me from doing even light duties.
		Pain prevents me from performing any job or homemaking chores.
Score: /	x 100 = %	
_	or each section the total possible score is 5: if the first completed the score is calculated as follows: Example	statement is marked the section score = 0, if the last statement is marked it = 5. If all ten le: 16 (total scored)
		$\overline{50}$ (total possible score) x $100 = 32\%$
If one section	on is missed or not applicable the score is calculated:	16 (total scored)
		$\overline{45}$ (total possible score) x $100 = 35.5\%$
Minimum D	Detectable Change (90% confidence): 15 points	Minimum Clinically Important Difference (90% confidence): 6 points
Source:	Fritz JM, Irrgang JJ. A comparison of a modified Oswes <i>Therapy</i> . 2001;81:776-788.	stry Low Back Pain Disability Questionnaire and the Quebec Back Pain Disability Scale. Physical
	Modified by Fritz & Irrgang with permission of The Char The Oswestry Low Back Pain Disability Questionnaire.	tered Society of Physiotherapy, from Fairbanks JCT, Couper J, Davies JB, et al. <i>Physiotherapy</i> . 1980;66:271-273.

RDQ

Name:	Date:
Age:	Score:
When your back hurts, you may find if difficu	lt to do some of the things you normally do.
Mark only the sentences	that describe you lately
1. [] I stay at home most of the time bec	ause of my back.
2. [] I walk more slowly than usual becau	use of my back.
3. [] Because of my back, I am not doing	g any jobs that I usually do around the
house.	
4. [] Because of my back, I use a handra	ail to get upstairs.
5. [] Because of my back, I lie down to re	est more often.
6. [] Because of my back, I have to hold	onto something to get out of an easy
chair.	
7. [] Because of my back, I try to get oth	er people to do things for me.
8. [] I get dressed more slowly than usua	al because of my back.
9. [] I stand up only for short periods of t	ime because of my back.
10. [] Because of my back, I try not to be	end or kneel down.
11. [] I find it difficult to get out of a chair	because of my back.
12. [] My back or leg is painful almost al	of the time.
13. [] I find it difficult to turn over in bed I	pecause of my back.
14. [] I have trouble putting on my socks	(or stockings) because of pain in my
back.	
15. [] I sleep less well because of my ba	ck.
16. [] I avoid heavy jobs around the hou	se because of my back.
17. [] Because of back pain, I am more i	rritable and bad tempered with people
than usual.	

18. [] Because of my back, I go upstairs more slowly than usual.

QUADRUPLE VISUAL ANALOGUE SCALE

ease rea			la tha num-	har that I-	act dacar:	has tha arr-	ction bain	a acleed				
						bes the que						
									n individual in at its bes			licate the score for each
xample:												
lo pain	Headache 0 1 (2) 3				Neck			Low Back		worst possible pain		
(0	1	(2)	3	4	(5)	6	7	8	9	10	
1	1 – Wh	at is yo	ur pain R	IGHT NO	W?							
lo pain			2									worst possible pain
(0	1	2	3	4	5	6	7	8	9	10	
2	2 – Wh	at is yo	ur TYPIC	AL or A	VERAGI	E pain?						
lo pain												worst possible pain
(0	1	2	3	4	5	6	7	8	9	10	
3	3 _ Wh	nat is vo	ur nain le	vel AT IT	'S REST	(How close	• to "0" d	oes vour	pain get a	tits hest)	,	
•	<i>3</i> — VV 1	iai is yo	ui pain ie	vei AT TI	S DEST	(110w Close	to o u	oes your	pam get a	i its best) i	•	
lo pain (0	1	2	3	4	5	6	7	8	9	10	worst possible pain
2	4 – Wh	nat is yo	ur pain le	vel AT IT	S WOR	ST (How cl	ose to "10	O" does y	our pain g	et at its w	orst)?	
lo pain (0	1	2	3	4	5	6	7	8	9	10	worst possible pain
THER (COMM	1ENTS	:									